



| Position | Amount | Type number | Description | PG |
|----------|--------|-------------|---------------------------------------|----|
| 1 | 1 | 316071590 | Removable chuck | 28 |
| 2 | 1 | 342024650 | Retaining ring | 11 |
| 3 | 1 | 341006760 | Bushing | 18 |
| 4 | 4 | 141124880 | Self-tap. fill. h. screw | 11 |
| 5 | 1 | 341704820 | Screw | 11 |
| 25 | 1 | 316099650 | Control knob compl. | 18 |
| 26 | 1 | 343398340 | Seal | 11 |
| 27 | 2 | 141113670 | Cap screw | 12 |
| 28 | 11 | 141116020 | Self-tap fill h screw | 12 |
| 29 | 1 | 338134390 | Type label 01715XXX KH 18 LTX BL 28 Q | 12 |
| 30 | 1 | 343453340 | Motor housing w.cover | 26 |
| 31 | 1 | 344114950 | Bellows | 12 |
| 34 | 1 | 343453350 | Handle half w.cover | 25 |
| 35 | 1 | 343453370 | Switch slide,R/L | 19 |
| 36 | 1 | 343412600 | DC switch, complete | 24 |
| 37 | 1 | 316070960 | LED compl. | 18 |
| 38 | 1 | 344102000 | Rubber cap | 12 |
| 39 | 1 | 310013320 | Armature compl. | 34 |
| 40 | 1 | 311013430 | Field coil compl. | 33 |
| 41 | 1 | 343089120 | Electronic unit, speed button | 18 |
| 42 | 2 | 342003950 | Pressure spring | 11 |
| 43 | 1 | 343088930 | Speed selection button | 13 |
| 44 | 1 | 344102990 | Rubber buffer | 12 |
| 45 | 1 | 343434440 | Locking catch | 11 |
| 46 | 1 | 338129960 | Indication label, CAS | 12 |
| 48 | 1 | 343454090 | Locking piece | 18 |
| 49 | 1 | 338077500 | Rating plate | 11 |
| 53 | 1 | 340004970 | Second pinion | 23 |
| 54 | 1 | 342010840 | Pressure spring | 13 |
| 55 | 1 | 341005700 | Pinion sleeve | 17 |
| 56 | 1 | 343458140 | Release Bracket | 11 |
| 57 | 1 | 343089460 | electronic unit, KH 18 LTX BL 28 Q | 50 |
| 58 | 1 | 316077680 | Motor compl. with electronic | 58 |
| 59 | 1 | 339139140 | Shock absorber cpl. | 18 |
| 60 | 3 | 341213440 | Shrink hose | 11 |
| 70 | 1 | 316074710 | Gear housing compl. | 28 |
| 71 | 1 | 339013330 | Oil seal | 17 |
| 72 | 1 | 320051190 | Ball bearing | 14 |
| 73 | 1 | 320051180 | Ball bearing | 18 |
| 79 | 1 | 316079760 | Drill driving sleeve compl. | 40 |
| 80 | 1 | 316074720 | cylinder cpl. | 38 |

| Position | Amount | Type number | Description | PG |
|----------|--------|-------------|-------------------------|----|
| 81 | 1 | 339012510 | Shaft sealing ring | 14 |
| 82 | 1 | 341005100 | Hammer holder(C) | 22 |
| 83 | 1 | 341013540 | second hammer | 18 |
| 84 | 1 | 341005200 | Sleeve(FW) | 20 |
| 85 | 1 | 344103920 | Rubber ring | 13 |
| 86 | 1 | 341006950 | Hammer holder (A) | 17 |
| 87 | 1 | 344103980 | O-ring | 13 |
| 88 | 1 | 341019510 | Catching sleeve | 20 |
| 89 | 1 | 342010850 | RETAINING RING | 13 |
| 90 | 1 | 341013550 | Striker | 19 |
| 91 | 1 | 344103930 | Sealing ring | 20 |
| 92 | 1 | 341020460 | exciter sleeve | 29 |
| 93 | 1 | 339008210 | Washer | 11 |
| 94 | 1 | 341523820 | Pin | 12 |
| 95 | 1 | 343439680 | Cover cap | 11 |
| 96 | 1 | 314001460 | Support handle compl. | 23 |
| 97 | 1 | 341511630 | Depth stop | 16 |
| 98 | 1 | 339008230 | Washer | 11 |
| 99 | 1 | 341020470 | dog clutch | 11 |
| 100 | 1 | 340004980 | Second shaft | 22 |
| 101 | 1 | 320051100 | Wobble bearing | 25 |
| 102 | 1 | 339008460 | Bearing washer | 11 |
| 103 | 1 | 316074730 | Bearing holder cpl. (B) | 29 |
| 104 | 1 | 320051110 | Ball bearing | 15 |
| 105 | 1 | 339008470 | Bearing cover (A) | 13 |
| 106 | 1 | 340037680 | Bevel gear | 20 |
| 107 | 1 | 341720370 | M5 seal ock bolt | 12 |
| 108 | 1 | 342010860 | Pressure spring | 11 |
| 109 | 1 | 316074740 | Lock plate compl. | 26 |
| 110 | 1 | 316074750 | Inner cover(B) ass'y | 20 |
| 111 | 1 | 344104360 | O-ring | 20 |
| 112 | 1 | 316074760 | Inner cover(A) ass'y | 30 |
| 113 | 1 | 344060310 | Felt packing | 11 |
| 114 | 1 | 339008480 | Packing washer | 12 |
| 115 | 1 | 344114290 | O-ring | 11 |
| 116 | 1 | 344103940 | Rubber cap | 11 |
| 117 | 1 | 344070680 | Felt seal | 13 |
| 880 | 1 | 344130800 | Grease FG 126 | 26 |
| 1001 | 1 | 338510720 | Diagram | |