



Position	Amount	Type number	Description	PG
1	1	339137270	Hook	13
2	1	341212750	tube	31
3	1	344113990	O-ring	11
4	1	339149130	Housing f. jaw	28
5	1	316097200	cage with jaw	32
6	1	341212760	PRESSURE BAR	31
7	1	342024320	Spring	14
8	1	341212770	Latch f. housing f. jaw	23
9	1	316097210	hook compl.	22
10	4	341723100	SCREW	11
11	1	341166820	Guide rail	13
12	1	343086760	Terminal	48
13	1	343447610	Housing	32
14	11	341723110	PAN HD.PLASTIC SCREW	13
15	4	341723120	zAN HD.PLASTIC SCREW	12
16	1	315107650	Gear Housing with SC	35
17	1	341166830	Gear f. jaw	60
18	1	343447620	Guide tube	13
19	1	341723130	PAN HD.PLASTIC SCREW	11
20	1	316097220	LED compl.	14
21	1	341166840	Gear	31
22	1	316097230	Motor compl.	46
23	1	343447630	Switch trigger	18
24	8	344114000	Rubber plug	11
25	1	343447640	Heat shrink tube f. spindle	13
26	1	343447650	Mandrel container	24
27	1	341166850	Retaining nosepiece 2,4mm	23
28	1	341166860	Retaining nosepiece 3,2mm	23
29	1	341166870	Retaining nosepiece 4,0mm	23
30	1	341212740	Retaining nosepiece 4,8mm	23
31	3	341723090	Square nut	16
32	1	342024280	Spring	11
33	1	343438580	Locking slide	12
34	1	338069800	Rating plate	12
35	1	343411860	Switch	24
37	1	343430520	Locking piece	11
38	1	341166980	standard nosepiece 2,4mm	22
39	1	341166990	standard nosepiece 3,2mm	22
40	1	341167000	standard nosepiece 4,0mm	22
41	1	341167010	standard nosepiece 4,8mm	22
42	1	339149160	Spring Bushing	11

Position	Amount	Type number	Description	PG
45	1	338129640	Indication label	12
95	1	343439680	Cover cap	11
1001	1	338510220	Wiring diagram	

