





Posicion	Cantidad	Referencia	Descripcion	PG
1	10	341706120	Tornillo alomado	11
2	1	343464150	Carcasa c.tapa	24
3	1	343460640	Elemento de transmision	11
4	1	343460650	Release bracket	11
5	1	342011170	Resorte de presion	11
6	1	343463460	Boton pulsador	12
7	1	343092940	Unidad electronica cpl.	38
8	1	343092950	Unidad electronica cpl.	20
9	3	341706130	Tornillo alomado	11
10	1	341214260	CONEXCION	11
11	1	316081540	Palanca cpl.	13
12	1	341020510	Arandela	11
13	1	344350920	Cristal de seguridad	13
14	1	341071820	Elemento tensor	11
15	1	343442830	Guia	12
16	1	316080850	Empujador cpl.	21
17	1	341071840	Guia	11
18	1	6400071061	ANILLO DE SEGURIDAD 6X0,7	11
19	1	141152070	Arandela	11
20	1	316080860	Rueda dentada cpl.	18
21	1	342200740	Casquillo de agujas	11
22	1	316093440	Placa cpl.	16
23	1	339148040	Placa	18
24	1	343442840	Proteccion	11
25	1	341166460	PLATO	18
26	1	317005670	Motor cpl., 18V	30
27	1	343464170	Varilla de conexion	12
28	1	343413610	Interruptor	13
29	1	343463440	Corredera de conexion	11
30	1	342011190	Resorte de presion	11
31	1	343463450	Pieza de conexion	14
32	1	338139360	Placa de caracteristicas	12
33	1	316093430	Palanca de maniobra	11
34	1	344161530	Llave hex.piv.front.	12
35	1	341706140	Tornillo alomado	11
36	1	339126800	Garra tensora	11
37	1	316080880	Placa base	21
38	1	339126880	RETENCION	12
40	1	316093410	Palanca de apoyo cpl.	14
41	1	341525340	Pasador	11
42	1	344103440	button cap	13

Posicion	Cantidad	Referencia	Descripcion	PG
43	1	338129960	Etiqueta indicadora, CAS	12
44	1	338083000	Placa de características	12
45	1	341706160	Tornillo alomado	
46	1	343464960	Placa guía	
880	0,010	344131520	Grasa tubo	20
890	0,001	136010950	Grasa	41
1001	1	338506940	Esquema electrico	