



Posicion	Cantidad	Referencia	Descripcion	PG
1	1	316081670	Tellerrad mit Ritzel	23
2	1	310013420	Inducido cpl.	33
3	1	343454990	Carcasa con tapa arriba	19
4	1	343454980	Carcasa	19
5	2	343454580	Tapa escobillas	17
6	4	141113180	Torn.alom.para chapa	11
10	1	338134470	Etiqueta indicadora,	12
11	1	338077670	Placa de características	12
12	1	338129960	Etiqueta indicadora, CAS	12
14	1	316097510	Carcasa Engranaje cpl.	25
19	4	141117060	Torn.alom.para chapa	12
20	2	339011860	Arandela compensadora	11
24	1	316072850	Brida de engranaje c.pinion,M14	28
25	1	316047590	Palanca tensora cpl.	23
26	1	316064680	Tuerca Quick,M14	22
27	1	341031160	Brida tensora	22
28	1	339203490	Cubierta protectora,D 125	26
30	3	141120070	Tornillo de cabeza cilin.	11
31	1	141123920	Tornillo alomado	11
33	1	344098740	Casquillo de goma	11
34	1	311011880	Inductor cpl.,2 pol.	34
35	1	316060540	Juego de escobillas	21
36	1	316053210	Porta escobillas cpl.,18 V	23
37	1	316071470	Juego de cordones c.interruptor	21
38	1	314000540	Empunadura completo	22
39	1	343454590	Corredera de conexion	19
41	1	339008160	Varilla de conexion	11
42	1	342004370	Muelle de traccion	11
43	1	316071400	Sonda termica cpl.	15
45	1	343447510	Empujador	11
63	1	143192540	"Anillo ""o"""	11
64	1	344097550	"Anillo ""o"" 48 x 1"	11
65	1	343090030	Unidad electronica,	37
66	1	316066720	Cerrojo cpl.	14
67	2	342004180	resorte de presion	11
95	2	343439680	Tapa de cierre	11
880	1	344130840	Grasa especial 100Gr 3,6oz	24
1001	1	338506720	Esquema electrico	

