



Posicion	Cantidad	Referencia	Descripcion	PG
1	1	310010930	Inducido cpl., 230V	34
2	1	311011930	Inductor c.bobina,230 V	31
3	1	343410240	Interruptor de 1 polo,X2	17
4	1	344100970	Boquilla de cable	12
5	1	344499530	Cable c.enchufe CEE	24
6	1	343362490	Abrazadera de cable	12
7	1	315013530	Carcasa de motor	20
8	1	339151190	Chapa guia aire	11
9	1	339151200	Chapa guia aire	11
10	1	343084020	Unidad electronica,230V 50/60Hz	29
11	1	143115690	Cojinete de bolas,6x19x6	13
12	1	344097870	Casquillo de goma	11
13	1	339133060	Arandela,8,05x17x0,4	11
14	1	143115700	Cojinete de bolas,8x22x7	14
15	1	339006390	Arandela,7,05x19,5x0,2	11
16	1	341100940	Tuerca	12
17	1	343433080	Varilla de conexion	11
18	1	343433040	Tapadera	15
19	1	343433110	Pieza final	11
20	1	343437100	Corredera de conexion	11
23	1	339204500	Cubierta protectora,D125	20
24	1	316046590	Empunadura cpl.	20
26	1	342022490	Resorte con patas	11
30	1	339012430	Junta plana	11
31	4	141121640	Tornillo alomado	11
32	4	141116980	Torn.alom.para chapa	11
33	2	141117060	Torn.alom.para chapa	12
34	1	338072520	Placa de caracteristicas	12
40	1	316063430	Husillo de amolar cpl.,WA M14	35
41	1	316055350	Tuerca tensora cpl.,M14	22
42	2	141151120	Arandela 10,2 X 14,8X 0,2	11
43	1	141152300	Arandela 10,2 X 14,8X 0,1	12
44	1	141153920	Arandela 10,2 X 14,8X 0,5	11
50	1	343433280	Brida cpl.	20
51	1	341102460	Tuerca	13
52	1	316054980	Pinon corona c.pinion	25
53	1	316066830	Arandela de tope cpl.	22
54	1	316055100	Carcasa Engranaje cpl.	33
55	1	316054340	Embrague de seguridad c.pinion	42
56	1	316055230	Porta escobillas cpl.	23
57	1	316054860	Ventilador c. Proteccion antipolvo	15

Posicion	Cantidad	Referencia	Descripcion	PG
58	1	316055190	Juego de escobillas desconectable	21
59	1	316066040	Palanca tensora cpl.	22
62	1	143196000	Anillo "o"	11
63	1	342003390	Resorte de presion	11
64	1	343433130	Boton pulsador	11
65	1	341515640	Perno	11
72	1	339007800	Arandela	11
92	1	143195640	"Anillo ""o""	11
880	1	344130920	Tubo de grasa 100gr	31
885	1	344130560	Tubo de grasa 50Gr 1,8oz	30
1001	1	338505690	Placa de caracteristicas	

