



Pozícia	Počet	Typové číslo	Označenie	PG
2	1	310010880	Anker vollst.,18V	33
3	1	343398580	Motorgehaeuse zweitlg.	27
4	2	141119900	Sosovkovita skrutka PL.	11
5	2	343398600	Kohledeckel	11
6	7	141113180	Sosovkovita skrutka	11
7	1	143115060	Rillenkugellager, 8X 22X 7	18
8	1	343430690	SKRINA	20
11	1	338065140	Typovy stitok	11
12	1	338127220	Hinweisschild Warnhinweise KFM	15
18	2	141123990	Linsenschraube	11
33	1	344098740	Gummibuchse	11
34	1	311011880	Feldpaket vollst.,2 pol.	34
36	1	316053210	Kohlehalter vollst.,18 V	23
39	1	343397810	Schaltschieber (rot)	11
40	1	399999990	DIEL TU NEODPOVED.	
41	1	339136560	SPINACIA TYC	14
42	1	343398620	SEDLOVY CAP	11
43	1	342003030	TLACNA PRUZINA	11
44	1	343398890	PRACHOVY FILTER	18
45	1	143195320	O-KRUZOK	11
50	1	341211520	Skala	30
51	1	341211530	Verstellring	41
52	1	341211540	Gehaeuse	38
53	1	314000970	Antivibrationshandgriff,M 8	24
54	1	342004080	TLACNA PRUZINA	25
55	1	341211550	Grundplatte	43
56	1	316062870	Parallelanschlag vollst.	44
57	1	343430520	Verriegelungsstueck	11
58	1	343430530	Schaltschieber	12
59	1	342003030	TLACNA PRUZINA	11
60	1	316046070	Getriebegehaeuse vollst.	28
61	4	141117060	Sosovkovita skrutka	12
62	1	143191930	O-KRUZOK	12
63	1	315417490	Festlagerdeckel	11
64	4	141124090	Linsenschraube	11
66	1	339011860	Ausgleichsscheibe	11
71	1	316093360	TANIEROVE KOLO A PASTOROK	29
72	1	316093280	Flansch vollst.	43
73	1	320054130	Rillenkugellager 35x17x11	23
74	1	141180390	BEZPECNOSTNY KRUZOK	12
75	1	316093290	Spindel vollst.	59

Pozícia	Počet	Typové číslo	Označenie	PG
76	1	320054160	Rillenkugellager 32x20x7	32
77	1	141180130	BEZPECNOSTNY KRUZOK	11
78	1	316093300	Anlauftring mit Schraube	27
79	1	316093370	Hoehenverstellung vollst.	54
80	1	316093380	Schraube vollst.	14
81	1	399999990	DIEL TU NEODPOVED.	
82	1	316040610	STOP VRETENA	14
85	1	343082750	Elektronikeinheit, 18V	43
88	2	141124550	Gewindestift	11
89	2	341723160	Schraube, Set	30
90	1	316096620	Sicherungsring vollst.	24
91	1	339007910	PRUZNA PODLOZKA	14
92	1	339007920	PRUZNA PODLOZKA	14
93	1	316066080	Anlauftring Duennblechbearbeitung Fase	30
95	1	343439680	Abdeckkappe	11
880	1	344130920	TUK V TUBE 100 G	31
1001	1	338505280	SCHEMA ZAPOJENIA	

